# Rancho Los Amigos Scale



#### What is the Rancho Los Amigos Scale?

The Rancho Los Amigos Scale is used to check brain recovery after a head injury. The scale has 10 general levels.

The rehabilitation (rehab) team, including doctors and therapists, will test your child to check their Rancho Scale level. Ask the rehab team to tell you about your child's level. Also ask them to give you examples specific to your child.

Each child's recovery is different. Your child:

- May not fit each level in order.
- May skip levels.
- May not fit each level exactly.

#### How is it used?

The Rancho Los Amigos Scale is used to check your child's progress during rehab. It focuses on your child's abilities and helps us design the rehab program that best meets their needs.

Each child moves through the levels at their own pace. The pace and amount of your child's progress depend on:

- Where the brain injury is.
- How severe (bad) it is.
- How much time has passed since the brain injury.

#### What are the levels?

General level	Assistance level (help needed)	Child's ability level
Level 1:	Total assistance	Does not respond to stimuli (such as touch and sound)
No response		Appears to be asleep

Assistance level (help needed)	Child's ability level
Total assistance	<ul> <li>Shows general reflex response to painful stimuli</li> <li>May respond to stimuli with general body movement, increased heart rate</li> </ul>
	<ul><li>or sounds</li><li>May respond to all stimuli in the same way</li></ul>
	May take time before responding to stimuli
Total assistance	Has responses related to types of stimuli
	Pulls away or makes sounds in response to pain
	Turns head to sound
	Blinks in response to a strong light shined in eyes
	Follows object with eyes
	May respond to simple commands such as, "Squeeze my hand."
	Responds at times and not at others
	May respond to some people but not others
Maximal assistance	Is confused and agitated, but alert and very active
	May be aggressive
	Has mood swings for no known reason
	May do basic motor activities, such as sitting up in bed or reaching
	May try to remove restraints or tubes
	May try to get out of bed
	Can only pay attention for a short time
	Cannot remember things that happened not long ago (short term memory)
	Does not cooperate
	<ul> <li>Has speech that is hard to understand or does not match the situation</li> <li>May cry or scream out</li> </ul>
	(help needed)  Total assistance  Total assistance

General level	Assistance level (help needed)	Child's ability level
Level 5: Confused, inappropriate non-agitated	Maximal assistance	<ul> <li>Is alert and confused, but not agitated</li> <li>May become agitated</li> <li>Does not know who they are, where they are or what date/time it is</li> <li>Has very poor short term memory</li> <li>Has very short attention span</li> <li>Needs structure and cues</li> <li>Follows simple commands</li> <li>May do simple tasks that they could do before the brain injury</li> <li>May have basic social interaction like saying "hi"</li> <li>May have speech that is hard to understand or does not match the situation</li> <li>Has more appropriate responses in familiar settings</li> <li>Cannot respond to multiple requests or stimuli</li> <li>Cannot solve problems, learn new information or control their behavior</li> <li>Needs someone to watch them just in case they need help</li> <li>May wander (walk without a purpose or without a place to go)</li> </ul>
Level 6: Confused and appropriate	Moderate assistance	<ul> <li>Sometimes knows who they are, where they are or what date/time it is</li> <li>Follows simple directions</li> <li>Does simple familiar tasks, such as brushing teeth or basic self-care</li> <li>Is better at remembering things that happened a long time ago (long term) as compared to not long ago (short term)</li> <li>Has improved short term memory; can use memory aide</li> <li>Is starting to problem solve with help</li> <li>Has more appropriate responses and social interaction in familiar settings</li> <li>Is unaware of safety risks</li> <li>Needs someone to watch them just in case they need help</li> </ul>

General level	Assistance level (help needed)	Child's ability level
Level 7: Automatic, appropriate response	Minimal assistance for daily living skills	<ul> <li>Knows who they are and where they are in familiar situations; needs help with date/time</li> <li>Can do simple daily routines, such as get dressed</li> <li>Learns at a slower rate but can pay better attention and is better at problem solving</li> <li>Cannot spot inappropriate social behavior</li> <li>Is not aware of others' needs and feelings</li> <li>May be oppositional or uncooperative; may not act as they should</li> <li>Has some awareness of condition but thinks they can do more than they really can</li> <li>Is not aware of the results from a decision or action</li> <li>Needs little help for safety during routine activities</li> </ul>
Level 8: Purposeful, appropriate	Stand-by assistance	<ul> <li>Knows who they are, where they are and what date/time it is</li> <li>Can do familiar tasks with little help or with someone watching them just in case they need help</li> <li>Can remember better and pay attention longer; needs assistive memory devices</li> <li>Has more trouble with reasoning and judgement than before the brain injury</li> <li>Does not fully understand what they can and cannot do; needs someone to watch them just in case they need help</li> <li>Thinks about results from actions with little help</li> <li>Can spot inappropriate social behavior</li> <li>Is self-centered but better at seeing the feelings of others</li> <li>May be depressed and irritable; may argue and get mad easily</li> </ul>

General level	Assistance level (help needed)	Child's ability level
Level 9: Purposeful, appropriate	Stand-by assistance on request	<ul> <li>Is more independent with familiar and basic tasks</li> <li>Uses assistive memory devices</li> <li>Knows limits but may need help with problem solving</li> <li>Can understand results from actions; may still need help</li> <li>Has more appropriate social interactions; has better understanding of the needs and feelings of others; may need help</li> <li>May still be depressed, irritable or easily frustrated</li> </ul>
Level 10: Purposeful, appropriate	Modified independent	<ul> <li>Can handle multiple tasks at a time; is independent with many tasks but may take more time to complete</li> <li>Knows disabilities and uses coping skills; thinks of results</li> <li>Has appropriate social interactions</li> <li>May be depressed, irritable or easily frustrated if sick, tired or stressed</li> </ul>

#### **Common rehab words**

These words and their meanings may help you better understand the Rancho Los Amigos Scale. Talk with your child's rehab team if you have any questions or concerns.

- Assistive memory devices something to help your child remember a schedule or task. This could be a chart, list, notebook or pictures.
- **Basic motor activities** simple activities, such as sitting up in bed or turning over.
- Complex commands commands that have several steps, such as, "Put toothpaste on a toothbrush, brush your teeth, and then rinse your mouth."
- **Familiar settings** places that are familiar to your child, such as home, school or other places they often go.
- **Oppositional behavior** when the child often resists doing what is asked of them. The child seems mad or stubborn.
- **Stimuli** sensory input, such as seeing, feeling or hearing.

This teaching sheet contains general information only. Talk with your child's doctor or a member of your child's healthcare team about specific care of your child.

In case of an urgent concern or emergency, call 911 or go to the nearest emergency department right away.